

Page 1 of 7 MCL100L

Prep	Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0 MSDS Revision Date: 11/01/2003									/2003		
1. PRODUCT IDENTIFICATION								CHEM		ESPON	SE CARI): 03
1.1	Product Name:	Cai	iLube MC	CL, MCL10	OL			RESPO	NSE		[m	
1.2	Chemical Name:	See ir	ngredients lis	ted in section	2			TEAM I	PPE:	♥ ♥		
1.3	Synonyms:	CaiLu	ube MCL, MC	CL100L-H					. (Ŧ		
1.4	Trade Names:	CaiLu	ube MCL100L	., MCL100L-H (see list below)			WHMIS		<u>!</u>		
1.5	Product Use:	Lubrio	cant for cond	ductive plastic	s & carbon-bo	ased con	trols	HEALTI	H:			0
1.6	Manufacturer's Name:	CAIG	Laboratorie	s, Inc.				FLAM	ABILIT	/:		0
1.7	Manufacturer's Address:	12200) Thatcher Co	ourt, Poway, C	CA 92064-6876			REACT	IVITY:			0
1.8	Business Phone:	+1 (8	00)-224-4123					PERSONAL PROTECTION:			Α	
1.9	Emergency Phone:	CH	EMTREC 1	-800-424	-9300/1-7	703-52	7-3887	7				
1.10 Other Product Names: CaiLube MCL100L, 2 ml (Part No. MCL100L-L2C) CaiLube MCL100L, 12 ml (Part No. MCL100L-L12C) CaiLube MCL100L, 25 ml (Part No. MCL100L-L2SC) CaiLube MCL100L, 236 ml (Part No. MCL100L-L8) CaiLube MCL100L, 944 ml (Part No. MCL100L-L32) CaiLube MCL100L, 30 L (Part No. MCL100L-L3G)												
			2. CON	APOSITIO	N & INGRE	DIENT			DN			
								EXPO	SURE LIMI	TS IN AIR ((mg/m³)	
							AC	GIH		OSHA		OTHER
CHEMICAL NAME(S)			CAS No.	RTECS No.	EINECS No.	%	TLV ppm	STEL ppm	PEL ppm	STEL ppm	IDLH ppm	
CaiLube MCL, MCL100L		•	TRADE SECRET	UNK	UNK	100	NE	NE	NE	NE	NE	
	NA = Not Available; ND = Not Determined; NE = Not Established; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used NOTE: all WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-1998 format.											



Page 2 of 7 MCL100L

Prep	Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards MSDS Revision: 1.0 MSDS Revision Date: 11/01/2003							/2003	
			3. HAZARD	IDENTIFI	CATION				
3.1	Hazard Identification: CaiLube MCL is non-volatile, non-hazardous and non-flammable.								
	Callube MCL is i	non-volatile, non-hazard	ous and non-flamma	ible.					
3.2	Routes of Entry:		Inhalation:	YES	Absorption:		Ingestion:	YES	
3.3	Effects of Exposure: EYES: Mild to moderate irritation. SKIN: Prolonged or repeated contact may cause contact dermatitis (localized redness or rash). INGESTION: Gastrointestinal irritation & discomfort. INHALATION: Central nervous system depressant. Irritating to the upper respiratory tract.								
3.4	Symptoms of Overexposure: EYES: Mild irritation, redness, and watering. SKIN: Contact dermatitis, characterized by localized red or puffy dry skin and itching. INGESTION: Nausea, vomiting, and diarrhea. INHALATION: Mouth, nose, and throat irritation, dizziness, nausea, light-headedness, drunkenness, and loss of coordination.								
3.5	Acute Health Effects: EYES: Mild to moderate irritation. SKIN: Repeated exposure at site of contact may cause contact dermatitis (localized redness or rash). INGESTION: Gastrointestinal irritation and central nervous system depression. INHALATION: Central nervous system depressant.								
3.6	Chronic Health Effects: None reported by the manufacturer.								
3.7	Target Organs:								
	Eyes and skin.								
			4. FIRST A		ASURES				
4.1	First Aid: EYES: Flush eyes thoroughly with copious amounts of water for at least 15 minutes, holding eyelid(s) open to ensure complete flushing. If irritation persists, seek immediate medical attention.								
	SKIN:	Remove contaminated medical attention. Do	•		•		If irritation persists, see rly cleaned.	ek prompt	
	INGESTION:	Do not induce vomiting			-				
	INHALATION: Remove victim to fresh air at once. If breathing is difficult, administer supplemental oxygen and seek immediat medical attention. If breathing stops, perform artificial respiration.						nmediate		
4.2		ggravated by Exposure:				HEALTH		0	
	None reported b	by the manufacturer.				FLAMMA	ABILITY	0	
						REACTIV		0	
					ľ				
					Ļ			A	
						EYES			



Page 3 of 7 MCL100L

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.0

MSDS Revision Date: 11/01/2003

	5. FIREFIGHTING MEASURES					
5.1	Flashpoint & Method: > 250 °C (482 °F)					
5.2	Autoignition Temperature:					
0.2	NA					
5.3	Flammability Limits: Lower Explosive Limit (LEL): ND Upper Explosive Limit (UEL): ND					
5.4	Fire & Explosion Hazards:					
	Carbon dioxide, carbon monoxide, hydrocarbons.					
5.5	Extinguishing Methods:					
	CO2, Alcohol foam, Dry Chemical, Water Fog					
5.6	Firefighting Procedures:					
	spray to cool containers involved in fire. Do not use direct water stream. Container storage areas exposed to direct flame contact should be cooled with large quantities of water as needed to prevent					
	weakening of container structure. Keep containers cool until well after the fire is out to prevent rupture.					
	Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any					
	natural waterway.					
	6. ACCIDENTAL RELEASE MEASURES					
6.1	Spills:					
	Secure spill area and deny entry to all unprotected individuals. Individuals involved in the cleanup should wear appropriate personal					
	protective equipment. Area may become slippery. Absorb product onto porous material, such as sand, clay, diatomaceous earth or commercial absorbent material. Place into leak-proof, approved containers. If necessary, cover all drains and dike well ahead of					
	the spill to prevent runoff into sewers, drains, and all waterways. Contact appropriate local or provincial authorities for assistance					
	and/or reporting requirements.					
	7. HANDLING & STORAGE INFORMATION					
7.1	Work & Hygiene Practices:					
	Wash hands thoroughly after using this product and before eating, drinking, or smoking. Remove soiled clothing to prevent prolonged					
	skin contact.					
7.2	Storage & Handling:					
	Store at temperatures between 59 °F and 95 °F (15 °C and 35 °C) in a dry, well-ventilated location. Keep away from heat, sparks, open flame, and other sources of ignition. Normal shelf-life: 2-3 years.					
7.3	Special Precautions:					
	Empty containers may contain product residues.					
	8. EXPOSURE CONTROLS & PERSONAL PROTECTION					
8.1	Ventilation & Engineering Controls:					
	Use with adequate ventilation (e.g., open doors and windows, local exhaust ventilation). Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station).					
8.2	Respiratory Protection:					
	None required, when used with adequate ventilation.					
8.3	Eye Protection:					
	Wear safety glasses with side shields (ANSI Z87) under normal use conditions.					
8.4	Hand Protection:					
	None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. In such cases, wear rubber or impervious plastic gloves.					
8.5	Body Protection:					
	Use as necessary to prevent skin contact.					



Page 4 of 7 MCL100L

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.0

MSDS Revision Date: 11/01/2003

	1	9. PHYSICAL & CHEMICAL PROPERTIES		
9.1	Density:	0.72		
9.2	Boiling Point:	> 200 °C (392 °F)		
9.3	Melting Point:	NA		
9.4	Evaporation Rate:	ΝΑ		
9.5	Vapor Pressure:	NA		
9.6	Molecular Weight:	NA		
9.7	Appearance & Color:	Light blue/green		
9.8	Odor Threshold:	Ethereal/hydrocarbon odor		
9.9	Solubility:	Not soluble in water		
9.10	Ph	NA		
9.11	Viscosity:	5.1 – 7.0 cSt @ 104 °F		
9.12	Other Information:	NA		
	L			
		10. STABILITY & REACTIVITY		
10.1	Stability:	Stable under normal conditions of use (see section 7).		
10.2	Hazardous Decomposition Products:	Change in color signifies exposure to ultraviolet light or exceeding shelf life. Will not degrade to unstable products. Discard solution.		
10.3	Hazardous Polymerization:	Will not occur.		
10.4	Conditions to Avoid: Use or storage near open flames, sparks, high heat (>100 °F) or other heat sources, and proximity incompatible substances and heavily trafficked areas.			
10.5	Incompatible Substances:	Strong oxidizers.		
		11. TOXICOLOGICAL INFORMATION		
11.1	Toxicity Data:	This product has not been tested on animals to obtain toxicological data. There are toxicology date		
		for the components of this product, which are found in the scientific literature. These data have no been presented in this document.		
11.2	Acute Toxicity:	See section 3.5		
11.3	Chronic Toxicity:	See section 3.6		
11.4	Suspected Carcinogen:	NE		
11.5	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.		
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.		
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.		
	Teratogenicity:	This product is not reported to produce teratogenic effects in humans.		
	Reproductive Toxicity:	This product is not reported to produce reproductive effects in humans.		
11.6	Irritancy of Product:	See Section 3.3		
11.7	-	NE		
11.8	Physician Recommendations:	Treat symptomatically.		
		12. ECOLOGICAL INFORMATION		
12.1	Environmental Stability:	This product will slowly volatile from soil. Components of this product will slowly decompose into organic compounds.		
12.2	Effects on Plants & Animals:	There is no specific data available for this product.		
12.3	Effects on Aquatic Life:	Releases of large volumes of this product are expected to be harmful or fatal to overexpose aquatic life.		
		13. DISPOSAL CONSIDERATIONS		
13.1	Waste Disposal:			
	Dispose of in accordance with	n federal, state or local regulations.		
13.2	Special Considerations:			



Page 5 of 7 MCL100L

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.0

MSDS Revision Date: 11/01/2003

14. TRANSPORTATION INFORMATION The basic description (proper shipping name, hazard class & division, ID Number, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): 14.1 NOT REGULATED 14.2 IATA (AIR): NOT REGULATED 14.3 IMDG (OCN): NOT REGULATED 14.4 TDGR (Canadian GND): NOT REGULATED 14.5 ADR/RID (EU): NOT REGULATED **15. REGULATORY INFORMATION** 15.1 SARA Reporting Requirements: NA 15.2 SARA Threshold Planning Quantity: NA 15.3 TSCA Inventory Status: All chemical substances of this product are listed on the TSCA inventory or are otherwise exempt from inventory status. 15.4 CERCLA Reportable Quantity (RQ): NA Other Federal Requirements: 15.5 NA 15.6 Other Canadian Regulations This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. 15.7 State Regulatory Information: The primary component of this product is not listed on the following state lists: California OSHA; California Proposition 65; Massachusetts Right to Know List of Chemicals; New Jersey Right to Know List 8:59 Appendix A; Pennsylvania Hazardous Substances List 34 323 Appendix A; Wisconsin Hazardous Substances List NR 605.09; Minnesota Hazardous Substances List; and Florida Toxic Substances List. 15.8 67/548/EEC (European Union) Requirements: The primary component of this product is not listed in Annex I of EU Directive 67/548/EEC.



Page 6 of 7 MCL100L

Prep	ared to OSHA, ACC, ANSI, WHMIS & 2001/	/58 EC Standards	MSDS Revision: 1.0	MSDS Revision Date: 11/01/2003			
		16. OTHER INF	ORMATION				
16.1	Other Information:						
	NA						
16.2	2 Terms & Definitions:						
	See page 7 of this MSDS.						
16.3	Disclaimer:						
	government regulations must be review knowledge, the information contained t are not guaranteed and no warranties	ved for applicability to the nerein is reliable and accu- of any type, either expre- . If this product(s) is co-	is product. To the best of rate as of this date; howe essed or implied, are prov mbined with other mater	n Standard, 29 CFR §1910.1200. Other of ShipMate's & CAIG Laboratories, Inc.'s ver, accuracy, suitability or completeness vided. The information contained herein rials, all component properties must be			
16.4	Prepared for: CAIG Laboratories, Inc. 12200 Thatcher Court Poway, CA 92064-6876 +1 (800) CAIG-123 (244-4123) phone +1 (858) 486-8398 fax http://www.caig.com/	CASES, INC.					
16.5	Prepared by: ShipMate, Inc. 18436 Hawthorne Blvd., Suite 201 Torrance, CA 90504 310-370-3600 phone 310-370-5700 fax http://www.shipmate.com/	ShipMate Dangerous Goods Training & Consulting					



Page 7 of 7 MCL100L

Prepared to OSHA, ACC, ANSI, WHMIS & 2001/58 EC Standards

MSDS Revision: 1.0

MSDS Revision Date: 11/01/2003

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

EXPOSURE LIMITS IN AIR:

CAS No.	Chemical Abstract Service Number
---------	----------------------------------

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
TLV	Threshold Limit Value
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
IDLH	Immediately Danaerous to Life and Health

FIRST AID MEASURES:

				method in		
whose	heart	has	stopped	receives	manual	chest
compre	ssions a	nd bre	eathing to a	circulate bl	ood and p	rovide
oxygen	to the b	ody.				

HEALTH

FLAMMABILITY


REACTIVITY PERSONAL PROTECTION

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard				
1	Slight Hazard				
2	Moderate Hazard				
3	Severe Hazard				
4	4 Extreme Hazard				

PERSONAL PROTECTION RATINGS:



OTHER STANDARD ABBREVIATIONS:


NA	Not Available		
NR No Results			
NE	Not Established		
ND	Not Determined		
ML	Maximum Limit		
SCBA	Self-Contained Breathing Apparatus		

volume spills or releases of product.

Autoignition	Autoignition Minimum temperature required to initiate combustion			
Temperature	in air with no other source of ignition			
LEL	Lower Explosive Limit - lowest percent of vapor in air, by			
	volume, that will explode or ignite in the presence of			
	an ignition source			
UEL	Upper Explosive Limit - highest percent of vapor in air,			
	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of			
	an ignition source			

HAZARD RATINGS:

Minimal Hazard
Slight Hazard
Moderate Hazard
Severe Hazard
Extreme Hazard
Acidic
Alkaline
Corrosive
Use No Water
Oxidizer



TOXICOLOGICAL INFORMATION:

LD₅0	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s					
LC 50	Lethal concentration (gases) which kills 50% of the exposed animal					
ppm	Concentration expressed in parts of material per million parts					
TD _{lo}	Lowest dose to cause a symptom					
TCLo	Lowest concentration to cause a symptom					
TD _{io} , LD _{io} , & LD _o or	Lowest dose (or concentration) to cause lethal or					
TC, TC _o , LC _{io} , & LC _o	toxic effects					
IARC	International Agency for Research on Cancer					
NTP	National Toxicology Program					
RTECS	Registry of Toxic Effects of Chemical Substances					
BCF	Bioconcentration Factor					
TLm	Median threshold limit					
log Kow or log Koc	Coefficient of Oil/Water Distribution					

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System				
DOT	U.S. Department of Transportation				
TC	Transport Canada				
EPA	U.S. Environmental Protection Agency				
DSL	Canadian Domestic Substance List				
NDSL	Canadian Non-Domestic Substance List				
PSL	Canadian Priority Substances List				
TSCA	U.S. Toxic Substance Control Act				
EU	European Union (European Union Directive 67/548/EEC)				

EC INFORMATION:

11 m		×	¥	8	*	×	×
С	E	F	N	0	T+	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful